SPECTRASCAN®

Issuing Date 30-May-2017

Revision Date 07-Sep-2016

Revision Number 2

SAFETY DATA SHEET

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name/Catalog ID SS-1132; SS-1232; SS-1532

Product Description 1000 µg/mL Mercury Contains Nitric acid, Mercury

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Company

Teknolab Verkstedveien 29 1400 Ski Norway Tel:+47 66 81 34 70 Fax: +47 66 81 34 71 e-mail: mail@teknolab.no Web: www.spectrascan.no **1.4. Emergency telephone number**

Chemtrec 1-800-424-9300 (North America) Chemtrec +1 703-741-5970 (International)

Europe	See above
Norway	Poisons Information (NO):+ 47 22 591300

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Symbol(s)

C - Corrosive

<u>R-code(s)</u> Xn;R20/21/22 - C;R34 - R33

<u>GHS</u>

Skin corrosion/irritation	Category 1 Sub-category B - (H314)
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)

For the full text of the R phrases mentioned in this Section, see Section 16

2.2. Label Elements

Product identifier Contains Nitric acid, Mercury



Signal word Danger

Hazard statements

H314 - Causes severe skin burns and eye damage H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/protective clothing/eye protection/face protection P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P260 - Do not breathe dust/fume/gas/mist/vapors/spray

2.3. Other information

Other hazards May be harmful in contact with skin Inhalation of vapors in high concentration may cause irritation of respiratory system Aspiration may cause pulmonary edema and pneumonitis

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC No	CAS No	Weight-%	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Reg
Nitric acid	EEC No. Present	7697-37-2	5	C; R35 O; R8	(EUH071) Skin Corr. 1A (H314) Ox. Liq. 2 (H272)	No data avail
Mercury	EEC No. Present	7439-97-6	0.1	T+; R26 T; R48/23 N; R50-53 Repr.Cat.2; R61 T+; R26/27/28 R33 N; R50-53	Acute Tox. 2 (H330) Repr. 1B (H360D) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	No data avail

For the full text of the R phrases mentioned in this Section, see Section 16

For the full text of the H-Statements mentioned in this Section, see Section 16

Section 4: FIRST AID MEASURES

4.1. Description of first-aid measures

 General Advice
 Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

 Inhalation
 Call a physician or Poison Control Center immediately. Move to fresh air. If breathing is difficult, give oxygen. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is required.

Skin Contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.			
Eye Contact	Immediate medical attention is required. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.			
Ingestion	Immediate medical attention is required. Do NOT induce vomiting. Clean mouth with water and afterwards drink plenty of water. Never give anything by mouth to an unconscious person.			
Protection of First-aiders	Use personal protective equipment. Avoid contact with skin, eyes and clothing.			
4.2. Most important symptoms	and effects, both acute and delayed			
Most Important Symptoms and Effects	Burn. Difficulty breathing.			
4.3. Indication of any immediate medical attention and special treatment needed				

Notes to PhysicianProduct is a corrosive material. Use of gastric lavage or emesis is contraindicated.
Possible perforation of stomach or esophagus should be investigated. Do not give
chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood
pressure may occur with moist rales, frothy sputum, and high pulse pressure

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Use personal protective equipment. Do not get in eyes, on skin, or on clothing.

Advice for emergency responders

Ensure adequate ventilation.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. Prevent product from entering drains.

6.3. Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up

Take up mechanically and collect in suitable container for disposal.

6.4. Reference to other sections

See Section 12: ECOLOGICAL INFORMATION.

Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Technical measures/Precautions

Ensure adequate ventilation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Precautions

Keep container tightly closed in a dry and well-ventilated place.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Chemical Name	EU	1	The United K	ingdom	Fra	ance		Spain	Germany
Nitric acid	STEL 1 ppm		STEL: 1 p		STEL	: 1 ppm	S	TEL: 1 ppm	TWA: 1 ppm
7697-37-2	STEL 2.6 mg/m	1 ³	STEL: 2.6 n			2.6 mg/m ³	STE	L: 2.6 mg/m ³	TWA: 2.6 mg/m ³
Mercury			TWA: 0.02 r	ng/m³	TWA: 0.	.02 mg/m ³	TW	A: 0.02 mg/m ³	TWA: 0.02 mg/m ³
7439-97-6				_	TWA: 0).1 mg/m ³			Ceiling / Peak: 0.16
									mg/m³
									Skin
Component	Italy		Portug	gal	The Ne	etherlands		Finland	Denmark
Nitric acid	STEL: 1 ppr		STEL: 4	• •	STEL:	1.3 mg/m³		VA: 0.5 ppm	
7697-37-2 (5)	STEL: 2.6 mg	/m³	TWA: 2	ppm				/A: 1.3 mg/m ³	
								TEL: 1 ppm	
								EL: 2.6 mg/m ³	
Mercury	TWA: 0.02 mg	/m³	TWA: 0.02		TWA: 0).02 mg/m³	TW	A: 0.02 mg/m ³	TWA: 0.02 mg/m ³
7439-97-6 (0.1)	Skin		TWA: 0.025					Skin	Skin
Chemical Name	Sweden		Austria		erland	Polano		Norway	Ireland
Nitric acid	LLV: 2 ppm		TEL 1 ppm		2 ppm	STEL: 2.6 r	0	TWA: 2 ppm	STEL: 1 ppm
7697-37-2	LLV: 5 mg/m ³	STE	L 2.6 mg/m ³		5 mg/m ³	TWA: 1.4 n	ng/m³	TWA: 5 mg/m ³	STEL: 2.6 mg/m ³
	STV: 5 ppm				2 ppm			STEL: 2 ppm	
	STV: 13 mg/m ³				5 mg/m ³			STEL: 5 mg/m ³	
Mercury	LLV: 0.03 mg/m ³		Skin	-	kin	TWA: 0.02 r	ng/m³	TWA: 0.02 mg/m ³	TWA: 0.02 mg/m ³
7439-97-6	S*		_ 0.08 mg/m ³).04 ppm			STEL: 0.02 mg/m	
		IWA	.: 0.02 mg/m ³		.4 mg/m ³			STEL: 0.06 mg/m ³	
					16 mg/m ³				
					005 ppm				
					05 mg/m^3				
				T VVA: 0.	02 mg/m ³				

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Mercury			0.015 mg/L blood end		
7439-97-6			of shift at end of		
			workweek Total		
			inorganic Mercury		
			Background noise on		
			non-exposed subjects		
			0.050 mg/g creatinine		
			urine prior to shift Total		
			inorganic Mercury		
			Background noise on		
			non-exposed subjects		

SS-1132; SS-1232; SS-1532

Revision Date 07-Sep-2016

Component	Italy	Portugal	Netherlands	Finland	Denmark	
Mercury	(ACGIH:) 20 µg/g					
7439-97-6 (0.1)	Creatinine urine price					
	to shift Total inorgar					
	mercury Backgroun					
Derived No Effect Level (I	DNEL) No info	rmation available				
Predicted No Effect Conc (PNEC)	Predicted No Effect Concentration No information available. (PNEC)					
8.2. Exposure controls						
Engineering Measures	Ensure	Ensure adequate ventilation, especially in confined areas.				
Personal protective eq Eye/Face Protection Hand Protection Skin and Body Protec Respiratory Protection	Tightly Imperv tion Imperv n When approp	t Tightly fitting safety goggles. Impervious gloves. Impervious clothing. Boots. Chemical resistant apron. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.				
Environmental Exposure	Controls Prever					

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor	Liquid clear / colorless Odorless
Property pH VALUE Melting Point/Range Boiling Point/Range Evaporation rate Flammability (solid, gas) Vapor Pressure Vapor density Relative Density Specific Gravity Water Solubility Partition coefficient: n-octanol/water Autoignition temperature Decomposition temperature Viscosity	Values No data available No data available 100 °C No data available No data available No data available No data available Miscible No data available No data available No data available No data available No data available
Explosive Properties Oxidizing Properties	No information a No information a

Other information **VOC Content**

ble ble

available No information available

No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical Stability

Stable under normal conditions.

Explosion Data Sensitivity to Mechanical Impact None.

SS-1132; SS-1232; SS-1532

Sensitivity to Static Discharge None.

10.3. Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

None known.

10.5. Incompatible materials

Reducing agent

10.6. Hazardous Decomposition Products

Nitrogen oxides (NOx).

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product Information	Harmful if swallowed. Harmful by inhalation. Harmful in contact with skin. The product causes burns of eyes, skin and mucous membranes.
Inhalation	Contact with moist mucous membranes of the respiratory system can cause caustic condition resulting in burns. Aspiration may cause pulmonary edema and pneumonitis. Harmful by inhalation. Causes burns. Corrosive to respiratory system. Inhaled corrosive substances can lead to a toxic edema of the lungs.
Eye Contact	Causes burns.
Skin Contact	Harmful in contact with skin. May be absorbed through the skin in harmful amounts. Causes burns.
Ingestion	Can burn mouth, throat, and stomach. Harmful if swallowed.

The following values are calculated based on chapter 3.1 of the GHS document

5,010.00 mg/kg
5,000.00 mg/kg
44.90 mg/l
365.00 mg/l
redient(s) of unknown toxicity.

Skin corrosion/irritation	No information available.
Eye damage/irritation	No information available.
Sensitization	No information available.
Mutagenic Effects	No information available.
Carcinogenic effects	No information available.
Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target Organ Effects	Respiratory system, Skin, Eyes.
Aspiration hazard	No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Contains 0 % of components with unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Nitric acid		72: 96 h Gambusia affinis mg/L	
		LC50	
Mercury		0.18: 96 h Cyprinus carpio mg/L	EC50 96 h = 5.0 µg/L (water flea)
		LC50 static 0.5: 96 h Cyprinus	
		carpio mg/L LC50 0.16: 96 h	

Cyprinus carpio mg/L LC50	
semi-static 0.9: 96 h Oryzias lati	es
mg/L LC50 flow-through	

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Chemical Name	Partition coefficient
Nitric acid	-2.3

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products	Dispose of in accordance with federal, state and local regulations.
Contaminated Packaging	Do not re-use empty containers.
Other Information	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG	
14.1. UN-No	UN3264
14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Hazard Class	8
14.4. Packing Group	III
Description	Not applicable
14.5. Marine Pollutant	None
14.6. Special Provisions	None
14.7. Transport in bulk according	No information available
to Annex II of MARPOL 73/78 and	
the IBC Code	

<u>RID</u> 14.1. UN-No	UN3264
14.2. Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s
14.3. Hazard Class	8
14.4. Packing Group	III
Description	Not applicable
14.5. Environmental hazard	None
14.6. Special Provisions	None

ADR 14.1. UN-No 14.2. Proper shipping name 14.3. Hazard Class 14.4. Packing Group Description 14.5. Environmental hazard 14.6. Special Provisions	UN3264 Corrosive liquid, acidic, inorganic, n.o.s 8 III Not applicable None None
ICAO 14.1. UN-No 14.2. Proper Shipping Name 14.3. Hazard Class 14.4. Packing Group Description 14.5. Environmental hazard 14.6. Special Provisions	UN3264 Corrosive liquid, acidic, inorganic, n.o.s 8 III Not applicable None None
IATA-DGR 14.1. UN-No 14.2. Proper shipping name 14.3. Hazard Class 14.4. Packing Group Description 14.5. Environmental hazard 14.6. Special Provisions	UN3264 Corrosive liquid, acidic, inorganic, n.o.s 8 III Not applicable None None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

All of the components in the product are on the following Inventory lists: U.S.A. (TSCA), Europe (EINECS/ELINCS/NLP), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), China (IECSC), Australia (AICS), Korea (ECL).

TSCA	Complies
EINECS/ELINCS	Complies
DSL/NDSL	Complies
PICCS	Complies
ENCS	Complies
IECSC	Complies
AICS	Complies
KECL	Complies

Legend

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical Safety Assessment

No information available

Full text of R-phrases referred to under sections 2 and 3

R35 - Causes severe burns R8 - Contact with combustible material may cause fire R33 - Danger of cumulative effects R61 - May cause harm to the unborn child R26 - Very toxic by inhalation R34 - Causes burns R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment R26/27/28 - Very toxic by inhalation, in contact with skin and if swallowed R48/23 - Toxic: danger of serious damage to health by prolonged exposure through inhalation R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed Full text of H-Statements referred to under section 3 H360D - May damage the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure if inhaled

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H314 - Causes severe skin burns and eye damage

H272 - May intensify fire; oxidizer

Revision Date	07-Sep-2016
---------------	-------------

Reason for Revision Not applicable.

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet